

LEED° FOR HOMES



INNOVA	TION & DESIGN	11 POSSIBLE POINTS
PREREQ 1	Preliminary Rating	REQ
PREREQ 2	Durability Planning and Management	REQ
CREDIT 1.2	Integrated Project Team	•
CREDIT 1.3	Professional Credentialed with Respect to LE	ED for Homes
CREDIT 1.4	Design Charrette	•
CREDIT 1.5	Building Orientation for Solar Design	•
CREDIT 2.3	Third-Party Durability Management Verification	on •••
CREDIT 3	Innovative or Regional Design	••••



SUSTAIN	NABLE SITES 22 POSSIBLE POINT	S/MIN. 5
PREREQ 1	Site Stewardship—Erosion Controls During Construction	REQ
PREREQ 2	Landscaping—No Invasive Plants	REQ
CREDIT 1	Site Stewardship—Minimize Disturbed Area of Site	•
CREDIT 2	Landscaping	UP TO 7
	Basic Landscape Design	
	Limit Conventional Turf	
	Drought Tolerant Plants	
	— OR	
	Reduce Overall Irrigation Demand by at Least 20%	
CREDIT 3	Reduce Local Heat Island Effects	
CREDIT 4.1	Surface Water Mgmt.—Permeable Lot	
CREDIT 4.2	Surface Water Mgmt.—Permanent Erosion Controls	•
CREDIT 4.3	Surface Water Mgmt.—Management of Run-off from Roof	• •
CREDIT 5	Nontoxic Pest Control — Pest Control Alternatives	••
CREDIT 6	Compact Development	UP TO 4
	Moderate Density	
	High Density	
	Very High Density	000



WATER	EFFICIENCY	15 POSSIBLE POINTS/MIN. 3
CREDIT 1	Water Reuse Rainwater Harvesting System	•••••
CREDIT 2	Irrigation System High Efficiency Irrigation System Third Party Inspection — or Reduce Overall Irrigation Demand by at Leas	•
CREDIT 3	Indoor Water Use High-Efficiency Fixtures and Fittings Very High Efficiency Fixtures and Fittings	



ENERGY	& ATMOSPHERE	38 POSSIBLE POINTS
PREREQ 1	Performance of ENERGY STAR for Homes	REQ
PREREQ 11	Refrigerant Mgmt.—Refrigerant Charge Test	REQ
CREDIT 1.2	Exceptional Energy Performance	UP TO 34



	•••••		
CREDIT 7.1	Water Heating—Efficient Hot Water Distribution	•	
CREDIT 7.2	Water Heating—Pipe Insulation	•	
CREDIT 11	Refrigerant Mgmt.—Appropriate HVAC Refrigerants	•	



See the LEED for Homes Reference Guide for a complete list of additional credits within the Energy & Atmosphere prescriptive path.



AWARENESS & EDUCATION 3 POSS		POSSIBLE POINTS
PREREQ 1	Homeowner or Tenant—Basic Operations Traini	ng REQ
CREDIT 1.2	Enhanced Training	•
CREDIT 1.3	Public Awareness	•
CREDIT 2	Building Manager—Education of Building Mana	nger



LOCATION & LINKAGES

10 POSSIBLE POINTS

	CREDIT 1	LEED for Neighborhood Development	•••••
ONE	CREDIT 2	Site Selection	• •
	CREDIT 3	Preferred Locations Edge Development	
	CREDIT 3.3	Preferred Locations—Previously Developed	•
PATH TW0	CREDIT 4	Existing Infrastructure	•
	CREDIT 5	Community Resources / Transit Basic Community Resources / Transit OR Cutstanding Community Resources / Transit Outstanding Community Resources / Transit	•••
	CREDIT 6	Access to Open Space	•



MATERIALS & RESOURCES 16 POSSIBLE POINTS / MIN. 2 PREREQ 1 REQ Framing Order Waste Factor Limit PREREQ 2 **FSC Certified Tropical Wood** REQ PREREQ 3 **Construction Waste Management Planning** REQ CREDIT 1 **Material-Efficient Framing UP TO 5** Detailed Framing Documents -----Detailed Cut List and Lumber Order Off-site Fabrication -----**CREDIT 2 Environmentally Preferable Products CREDIT 3** Waste Management—Construction Waste Reduction



INDOOR ENVIRONMENTAL QUALITY 21 POSSIBLE POINTS/MIN. 6

	PREREQ 2	Basic Combustion Venting Measures	REQ
	PREREQ 4	Basic Outdoor Air Ventilation	REQ
	PREREQ 5	Basic Local Exhaust	REQ
	PREREQ 6	Room-by-Room Load Calculations	REQ
	PREREQ 7	Air Filtering—Good Filters	REQ
	PREREQ 9	Radon-Resistant Construction in High-Risk Areas	REQ
	PREREQ 10	No HVAC in Garage	REQ
PATH ONE]	CREDIT 1	ENERGY STAR with Indoor Air Package	UP TO 13
₹ 5 		OR	••••
Г	CREDIT 2.2	Enhanced Combustion Venting Measures	•
	CREDIT 3	Moisture Load Control	•
	CREDIT 5.3	Third-Party Performance Testing	•
	CREDIT 6.2	Return Air Flow / Room by Room Controls	•
	CREDIT 6.3	Third-Party Performance Test / Multiple Zones	•
PATH TW0	CREDIT 8.2	Indoor Contaminant Control during Construction	•
2 F	CREDIT 8.3	Preoccupancy Flush	•
	CREDIT 9.2	Radon-Resistant Construction in Moderate-Risk Areas	•
	CREDIT 10	Garage	UP TO 3
		Minimize Pollutants from Garage	
		Exhaust Fan in Garage — OR	_
L		Detached Garage or No Garage	
Г	CREDIT 4.2	Enhanced Outdoor Air Ventilation	•
	CREDIT 5.2	Enhanced Local Exhaust	•
 E. =	CREDIT 5.3	Third-Party Performance Testing	•
EITHER Path	CREDIT 7	Air Filtering	UP TO 2
		Better Filters Rest Filters	_
	CREDIT 8.2	Indoor Contaminant Control	
	UKEUII O.Z	muoor comammant control	

45+ POINTS: CERTIFIED

60+ POINTS: SILVER

90+ POINTS: PLATINUM

THESE POINT THRESHOLDS MAY CHANGE BASED ON HOME SIZE.
CONSULT THE LEED FOR HOMES REFERENCE GUIDE FOR MORE INFORMATION.